
BENQ W 2000 FULL HD 1080P PROJECTOR DEMO UNIT

Brand: BenQ Projectors
Product Code: BenQ W2000 Demo



Price: R17,000.00

Description

BenQ W2000 Home Cinema Projector

Rec. 709 HDTV Standard for Finest Cinematic Color | Vertical Lens Shift for Extra Installation Freedom | Side Projection with 2D Keystone

Your Home is the Premium Theater

Let your imagination soar beyond the stars to experience cinema as it was meant BenQ Home Projectors. With ultramodern sleekness, lifelike cinematic colors and strikingly sharp details, BenQ projectors complement luxurious lifestyles by unleashing ultimate audiovisual experiences with simple wireless freedom.

Main Specifications

Resolution

1080p (1920 x 1080)?

Brightness (ANSI lumens)

2000 ANSI Lumens?

Contrast Ratio (FOFO)

15000:1 ?

Speaker

Chamber Speaker 10W x 2

Display

Projection System

DLP

Resolution

1080p (1920 x 1080)?

Resolution Support

VGA(640 x 480) to WUXGA_RB (1920 x 1200) *RB = Reduced Blanking

Brightness (ANSI lumens)

2000 ANSI Lumens?

Contrast Ratio (FOFO)

15000:1 ?

Display Color

30 Bits (1,07 billion colors)

Native Aspect Ratio

16:9

Light Source

Lamp

Light Source Wattage

240W?

Light Source Life

Normal 3500 hours

Economic 5000 hours

SmartEco 7000 hours?

Optical

Throw Ratio

1.15 - 1.5 (100" @ 2.5m)?

Zoom Ratio

1.3x

Lens

F/# = 2.59 - 2.87, f = 16.88 - 21.88 mm

Lens Shift

Vertical : +10%?

Keystone Adjustment

2D, (Auto) Vertical & Horizontal \pm 30 degree

Projection Offset

105% \pm 2.5%

Clear Image Size (Diagonal)

60"~180"

Image Size

30"~ 300"?

Horizontal Frequency

15 ~102KHz?

Vertical Scan Rate

23~120Hz?

Picture

Picture Mode

Bright / Vivid / Cinema (Rec. 709) / Game / User 1 / User 2 / ISF Night / ISF Day / (3D

Color Wheel Segment

6-Segment (RGBRGB)?

Color Wheel Speed

2X (60Hz);3X (50Hz)

Rec.709 Coverage

100%

DCI-P3 Coverage

81%

Audio

Speaker

Chamber Speaker 10W x 2

Interface

PC (D-Sub)

1

Composite Video in (RCA)

1

Component Video In

1

HDMI

2

HDMI-1 (2.0a/HDCP2.2/MHL)

HDMI-2 (1.4a/HDCP1.4)

USB Type A

1

USB Type A-1 (2.0/Power Supply1.5A)

USB Type B

1

USB Type mini B

1

USB Type Mini B-1(service)

Audio in (3.5mm Mini Jack)

1

Audio L/R in (RCA)

1

Audio out (3.5mm Mini Jack)

1

RS232 (DB-9pin)

1

DC 12V Trigger (3.5mm Jack)

1

IR Receiver

2 (Front/Top)

Security Bar

1

Special Feature

ISF Night/ Day

Yes

CinemaMaster Audio +

Yes

Compatibility

HDTV Compatibility

480i, 480p, 576i, 576p, 720p, 1080i, 1080p?

Video Compatibility

NTSC, PAL, SECAM, SDTV?

3D Compatibility?

Frame Sequential: Up to 720p

Frame Packing: Up to 1080p

Side by Side: Up to 1080i/p

Top Bottom: Up to 1080p?

Power

Power Supply

AC100 to 240V, 50 to 60 Hz?

Typical Power Consumption

353W

Standby Power Consumption

< 0.5W?

Acoustic Noise (Typ./Eco.)

29 / 27 dB

Operating Temperature

0~40?

Dimension and Weight

Dimensions (W x H x D)(mm)

380.5 x 121.7 x 277

Net Weight (Kg/ lbs)

3.6 (7.93?)